

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
4" Rims					
2.50-4	4	2.25	0.3	3	1
2.80-4	4	2.25	0.3	3	1
3.00-4	4	3.00	0.5	4	2
4.10-4	4	3.25	0.6	6	3
4.10/3.50-4	4	3.25	0.6	6	3
4.80-4	4	3.75	1.0	9	4
5.00-4	4	3.50	1.2	11	5
8.00-4	4	5.50	3.5	32	15
8.00/3.00-4	4	-	0.2	2	1
9/3.50-4	4	2.75	0.4	4	2
9/3.50-4	4	3.75	0.6	5	2
10/3.50-4	4	-	0.5	4	2
11/4.00-4	4	2.50	0.6	6	3
13x5.00-4	4	4.25	1.5	14	6
13.5x6.0-4	4	4.75	1.9	17	8
380x150-4	4	5.30	2.2	20	9
5" rims					
3.40/3.00-5	5	2.75	0.6	5	2
3.50/3.00-5	5	2.75	0.6	6	3
4.00-5	5	3.00	0.6	5	2
4.10-5	5	3.25	0.8	7	3
4.10/3.50-5	5	3.25	0.9	8	4
5.00-5	5	3.50	0.7	7	3
6.50-5	5	3.25	0.8	7	3
11x4.00-5	5	3.00	0.6	6	3
13x5.00-5	5	5.00	0.8	7	3
450x190-5	5	6.30	3.4	31	14
6" Rims					
4.00-6	6	3.25	1.0	10	4
4.10-6	6	3.25	0.9	8	4
4.10/3.50-6	6	3.25	0.8	7	3
4.10/4.50-6	6	3.25	1.3	12	5
4.10/8.50-6	6		0.8	7	3
5.30-6	6	3.25	1.3	12	5
5.30-6	6	4.25	1.5	14	6
5.30/4.50-6	6		1.2	11	5
6.00-6	6	5.00	2.7	24	11
6.90/6.00-6	6	5.50	2.7	24	11
7.00-6	6	5.00	2.7	25	11
7.25-6	6	5.75	3.2	29	13
8.00-6	6	5.00	2.7	25	11
8.00-6	6	5.50	2.9	26	12
8.00-6	6	7.00	3.1	28	13
8.50-6	6	6.00	4.4	40	18
9.00-6	6	6.75	5.2	48	22
12x6-6	6	4.25	1.0	9	4
12x11.00-6	6	4.00	2.6	23	11
12x11.00-6	6	4.25	2.9	26	12

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
13x4.00-6	6	3.25	0.7	7	3
13x5.00-6	6	3.25	1.0	10	4
13x5.00-6	6	3.50	1.5	14	6
13x6.00-6	6	5.00	1.7	15	7
13x6.50-6	6	5.00	1.3	12	5
14x4.50-6	6	3.50	1.5	13	6
14x5.00-6	6	3.50	1.5	13	6
14x5.50-6	6		1.3	12	5
14x8.00-6	6	6.00	1.7	15	7
14.5x5.50-6	6	4.25	1.3	12	5
15x6.00-6	6	4.25	1.6	15	7
15x6.00-6	6	4.50	1.9	17	8
15x6.00-6	6	4.50	2.3	21	9
15x6.50-6	6		2.2	20	9
16x4.50-6	6	4.50	7.9	72	33
17.5x6.25-6	6	5.00	3.1	28	13
18x7.00-6	6	4.50	2.8	26	12
26x6-6	6		3.6	33	15
26x10.5-6	6	6.75	9.6	87	40
360x135-6	6	4.25	1.5	14	6
380x150/15x6	6	3.76	2.2	20	9
6.5" Rims					
16-6.50	6.5		2.3	21	9
26-6.5	6.5	5.50	3.6	33	15
6.00-6.5/420x150	6.5	3.79	2.7	25	11
7" Rims					
4.50-7	7	3.75	1.2	11	5
4.80-7	7	2.50	1.1	10	5
8.00-7	7	6.50	5.2	48	22
10.00-7	7	8.00	8.0	73	33
23.5x8.75-7	7	6.25	2.9	26	12
8" Rims					
3.00-8	8		0.6	6	3
3.50-8	8	3.25	1.0	9	4
4.00-8	8	2.50	1.4	12	6
4.10-8	8	3.25	1.2	11	5
4.50-8	8	3.25	1.6	15	7
4.50-8	8	3.50	1.8	16	7
4.80-8	8	3.75	1.6	15	7
5.00-8	8	3.75	2.2	20	9
5.50-8	8		2.7	25	11
5.70-8	8	4.50	2.5	23	10
5.70/5.00-8	8	4.50	2.5	23	10
6.50-8	8	3.75	3.1	29	13
6.50-8	8	5.25	4.8	44	20
6.50-8	8	5.38	3.0	27	12
7.00-8	8	5.50	3.8	34	16
8.00-8	8		1.6	15	7
15x4.50-8	8	3.00	1.5	13	6

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
15x6.00-8	8	4.25	2.0	18	8
16x4.40-8	8	3.50	1.2	11	5
16x5.50-8	8	4.25	2.0	18	8
16x6.00-8	8		2.1	19	9
16x6.50-8	8	5.38	2.3	21	9
16x7.50-8	8	5.38	2.7	24	11
16.5x6.50-8	8	5.38	2.3	21	10
17.5x5.75-8	8	4.25	1.9	18	8
18x5.00-8	8		1.0	9	4
18x5.50-8	8	4.25	2.1	19	9
18x5.75-8	8	4.25	2.1	19	9
18x6.5-8	8	5.25	3.2	29	13
18x6.50-8	8	5.38	3.2	29	13
18x7.00-8	8	4.33	2.5	23	10
18x8.50-8	8	7.00	4.0	37	17
18x9-8	8	7.00	3.5	32	14
18x9.50-8	8	7.00	4.4	40	18
18x10-8	8	8.00	4.0	36	16
18x11-8	8	9.00	4.4	40	18
18.5x8.5-8	8	7.00	3.8	34	16
18.5x9.5-8	8	7.00	3.6	33	15
19.5x6.75-8	8	5.25	3.3	30	14
19.5x6.75-8	8	8.00	3.3	30	14
20x8.00-8	8	7.00	5.0	45	21
20x10.00-8	8	8.00	6.4	59	27
20x11.00-8	8	9.00	5.6	51	23
21x7.00-8	8	5.50	4.4	40	18
21x7.25-8	8	4.75	4.9	45	20
21x11.00-8	8	8.50	6.5	59	27
21x11.00-8	8	9.00	6.2	56	26
21x12-8	8	9.50	6.7	61	28
21.8-8	8		5.6	51	23
22x8.0-8	8	6.00	4.8	43	20
22x10.00-8	8	6.00	6.2	56	26
22x11.00-8	8	8.50	6.5	59	27
22x11.00-8	8	9.00	6.9	62	28
22.5x10.00-8	8	8.00	6.5	59	27
23x9.0-8	8	7.25	8.7	79	36
25x24.00 R 8	8	15.00	25.9	235	107
9" Rims					
4.00-9 SL	9	3.00	1.7	15	7
4.80/4.00-9	9	4.00	2.0	18	8
5.00-9	9	3.00	2.7	25	11
6.00-9	9	6.00	3.2	29	13
6.90-9	9	5.50	3.2	29	13
6.90/6.00-9	9	6.00	3.0	27	12
15x6.5-9	9	4.00	2.6	23	11
18x11-9	9	9.00	4.2	38	17
20x7-9	9	6.00	3.3	30	14

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
20x11-9	9	9.00	5.3	48	22
21x8-9	9	7.00	4.0	37	17
21x8-9 NHS	9	6.00	6.0	55	25
21x9-9	9	7.00	4.6	42	19
22x7-9	9	6.00	4.1	37	17
22x7.75-9	9	4.25	4.4	40	18
22x11-9	9	9.00	6.6	60	27
24x13-9	9	11.00	9.4	86	39
25x12.00-9	9	10.00	10.5	95	43
25x13.00-9	9		10.6	97	44
10" Rims					
3.50-10	10	3.75	1.6	15	7
4.50-10	10		2.0	18	8
5.00-10	10	4.25	2.7	25	11
6.50-10	10	5.00	4.2	38	17
7.50-10	10	5.50	6.1	56	25
7.50-10 SL	10	5.50	7.1	65	29
7.50/9.00-10	10	5.50	6.1	56	25
7.50/9.00-10	10	6.00	6.4	58	26
7.50-10	10	5.50	6.4	58	26
7.50-10 SL	10	5.50	9.4	85	39
7.7-10	10	6.00	8.1	73	33
8.50-10	10	6.25	7.5	68	31
9.00-10	10	6.00	8.8	80	36
9.00-10	10	6.50	8.1	73	33
9.00-10 SL	10	6.00	10.2	93	42
9.00-10	10	7.75	9.0	82	37
13x9-10	10		4.0	37	17
15-10	10	13.00	13.1	120	54
17x15-10	10	13.00	19.3	176	80
18x4.25-10	10	4.25	1.6	15	7
18x4.4-10	10	3.50	1.5	13	6
18x8.50-10	10	7.00	3.1	29	13
18x10-10	10	8.00	3.5	32	15
18x11-10	10	9.00	4.0	36	16
19x8-10	10		3.1	28	13
H19.5x6.75-10	10	4.25	2.7	24	11
20x5.5-10	10	4.25	2.4	22	10
20x8.00-10	10	6.00	3.9	35	16
20x8.00-10	10	6.50	4.2	38	17
20x10.00-10	10	8.00	4.6	42	19
20x11-10	10	9.00	5.2	47	21
20x14-10	10	9.50	14.1	128	58
20.5x6.75-10	10	5.25	3.9	35	16
20.5x8-10	10	6.00	4.6	42	19
21x7-10	10	5.50	3.5	32	15
21x7.25-10	10	5.50	3.7	34	15
21x7.25-10	10	5.50	2.4	22	10
21x8-10	10	6.00	4.4	40	18

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
21x11.00-10	10		5.8	53	24
21.5x7.0-10	10	5.90	3.5	32	14
22x6.5-10	10	4.75	3.6	33	15
22x6.6-10	10	5.50	3.2	29	13
22x6.75-10	10	4.75	3.8	34	16
22x7.75-10	10	4.75	4.1	37	17
22x8.0-10	10	5.00	4.2	38	17
22x8.25-10	10	5.25	5.6	51	23
22x9-10	10	7.00	5.2	47	21
22x10-10	10	8.00	5.8	53	24
22x11-10	10	9.00	5.6	51	23
23x8-10	10	6.50	4.9	45	20
23x8.50-10	10	10.00	6.5	59	27
23x9-10	10	6.50	5.6	51	23
24x7.7-10	10	5.50	4.6	42	19
24x11-10	10	9.00	7.8	71	32
24.5x8.5-10	10	6.25	7.7	70	32
25x7.75-10	10	6.00	6.0	54	25
25x12-10	10	9.50	9.1	83	38
25.5x8.75-10	10	5.50	6.8	62	28
27x9-10	10	9.00	8.3	76	34
27 Lx15-10	10	13.00	12.5	114	52
29x11.00-10	10	8.50	11.6	106	48
205/50-10	10	6.50	3.8	34	16
615x225-10	10	7.90	6.4	59	27
10.5" Rims					
24x9.5-10.5	10.5	6.00	6.0	55	25
11" Rims					
10.00-11	11	7.00	13.8	125	57
17.5x6.25-11	11	5.25	2.1	19	9
20x5.25-11	11	4.50	3.4	31	14
22x8.5-11	11	7.25	5.6	51	23
23x8-11	11	6.50	4.9	45	20
24x8-11	11	6.50	5.5	50	23
24x9-11	11	7.00	6.0	55	25
25x9.00-11 NHS	11	7.00	9.4	86	39
25x10.00-11 NHS	11	8.00	10.6	96	44
26x8.75-11	11	7.25	9.4	85	39
26x10.0-11	11	8.00	9.9	90	41
36-11	11	-	15.7	143	65
11.5" Rims					
22x7.25-11.5	11.5	7.25	4.0	37	17
28-11.5	11.5	4.63	7.7	70	32
12" Rims					
4.00-12 SL	12	3.00	2.4	22	10
12-May	12	4.00	2.8	26	12
12-Jun	12	5.00	3.2	29	13
5.30-12	12	4.25	3.1	28	13
5.70-12	12	4.50	3.1	28	13

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
6.00-12	12	4.50	3.2	29	13
6.00-12	12	5.00	4.5	41	19
6.50-12	12	5.00	4.8	43	20
6.90/6.00-12	12	5.00	4.4	40	18
7.00-12	12	5.00	6.2	56	26
12-Jul	12	6.00	6.9	62	28
7.30-12	12	5.00	6.4	58	26
9.25-12	12	7.00	8.3	76	34
9.25-12/28x9.00-12	12		8.5	78	35
11.00-12	12	8.25	13.9	127	58
14.5-12	12		2.4	22	10
15.00-12	12	11.00	23.6	215	97
20x4.4-12	12	3.50	1.7	15	7
20x4.4 R 12	12	3.50	1.9	17	8
20.5x5.50-12	12	4.00	2.9	26	12
20.5x8.5-12	12	6.00	4.5	41	19
22x5.5-12	12	4.25	2.9	26	12
22x5.75-12	12	4.25	2.7	25	11
22x7.50-12	12	6.00	4.0	37	17
22x7.7-12	12	6.00	4.2	38	17
22x8.00-12	12	6.00	4.4	40	18
22x9.00-12	12		5.5	50	23
23x7.0-12	12	6.25	4.0	37	17
23x8-12	12	6.00	4.3	39	18
23x8.50-12	12	7.00	5.2	47	21
23x9-12	12	7.00	4.8	44	20
23x9.50-12	12	7.00	5.5	50	23
23x10-12	12	8.00	5.6	51	23
23x10.1-12	12	8.00	6.7	61	28
23x10.50-12	12	8.50	7.0	64	29
23.5x8.50-12	12	7.00	6.1	56	25
23.5x11-12	12	8.75	6.2	56	26
24x6.6-12	12	5.50	5.0	45	21
24x7.25-12	12	6.25	4.5	41	19
24x12.00-12	12	9.00	4.8	44	20
24.5x8.5-12	12	4.50	6.2	56	26
25x8.00-12 NHS	12	6.50	8.1	73	33
25x10.00-12 NHS	12	8.00	10.1	92	42
25x11.00-12 NHS	12	9.00	11.0	101	46
25x12-12	12	9.75	8.1	73	33
26x9.00-12 NHS	12	7.00	9.9	90	41
26x12.00-12	12	10.50	11.3	103	47
27x9.00-12 NHS	12	7.00	11.0	100	45
27x10-12	12	8.50	7.9	72	33
27x12.00-12 NHS	12	9.50	14.7	134	61
28x9.0-12	12	6.63	10.3	94	43
H31x13.0-12	12	8.00	17.1	156	71
34x12.0-12	12	9.00	19.6	178	81
34x14.0-12	12	11.00	22.8	208	94

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
36x13.0-12	12	8.25	28.0	255	115
40-12	12	10.00	27.2	247	112
670x210-12	12	6.90	6.9	62	28
12.5" Rims					
8.90-12.50	12.5	6.75	7.7	70	32
13" Rims					
6.00-13	13	4.00	4.0	37	17
6.50-13	13	4.50	5.2	47	21
7.00-13	13	5.00	6.0	54	25
24x8.0-13	13	5.75	11.5	105	48
26x7.75-13	13	6.00	5.6	51	23
26x7.75 R 13	13		6.0	54	25
26.5x8.0-13	13	6.50	7.7	70	32
31x9.75-13	13	7.25	11.1	101	46
39x13	13	10.00	28.1	256	116
44-13	13	11.00	25.4	231	105
150x100-13	13	3.75	3.3	30	14
165/80 R 13	13		4.7	43	19
605x155-13	13	5.40	4.8	43	20
14" Rims					
14-Jun	14	5.00	4.5	41	19
6.00-14 SL	14	5.00	6.1	56	25
14-Jul	14	6.00	7.0	64	29
7.50-14	14	5.50	6.4	58	26
7.50-14 SL	14	5.50	5.6	51	23
8.5 L-14 SL	14	6.00	8.8	80	36
9.5 L-14 SL	14	7.00	10.5	95	43
14-Nov	14	11.00	11.3	103	47
11 L-14 SL	14	8.00	12.1	110	50
23x8.50-14	14	7.00	5.9	54	24
24x5.5-14	14	4.25	2.3	21	10
24x6.5-14	14	4.75	4.0	37	17
25x6.75-14	14	4.00	5.6	51	23
25x8.50-14	14	5.00	6.9	62	28
25.5x8.0-14	14	5.75	5.1	46	21
25.5x8.0 R 14	14	5.75	5.2	48	22
25.75x6.75 R 14	14	5.00	4.6	42	19
26x6.60-14	14	5.00	4.6	42	19
26x6.60 R 14	14	5.00	5.3	48	22
26x6.75-14	14	5.00	4.8	44	20
26x8.00-14	14	7.00	6.0	54	25
26x8.50 R 14	14	7.00	6.4	58	26
26.5x8.00-14	14	5.00	6.0	55	25
26.5x8.00-14	14	5.25	7.3	66	30
26x9.00 R 14	14	7.00	8.9	81	37
26x11.00 R 14 NHS	14	8.50	10.9	99	45
27x8.50-14	14	5.50	6.5	59	27
27x8.50 R 14	14	7.00	7.1	65	29
27x9.50-14	14	7.50	7.5	68	31

* Assumes tire is 75% full and accounts for tire thickness

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
27x9.50 R 14	14	7.50	7.7	70	32
28x7.7-14	14	6.00	6.0	55	25
28x9.0-14	14	7.25	7.7	70	32
29x9.50-14	14	7.50	8.9	81	37
29x9.50 R 14	14	7.50	9.3	84	38
30x9.5-14	14	7.00	9.6	87	40
31x9.75-14	14	8.00	11.2	102	46
31x10.75-14	14	9.00	11.8	107	49
32x10.75-14	14	9.00	13.0	118	54
34x11-14	14	9.00	18.6	169	77
34x11.75-14	14	9.12	21.6	197	89
34.6x12.0-14	14	8.00	21.3	194	88
37x14.0-14	14	11.00	23.4	213	97
40x14	14	11.00	33.3	303	137
40x16-14	14	12.50	40.2	366	166
185/70 R 14	14		12.9	117	53
14.5" Rims					
7-14.5	14.5	6.00	6.5	59	27
8-14.5	14.5	6.00	8.1	73	33
9-14.5	14.5	7.00	9.6	87	40
27.5x8.75-14.5	14.5	6.00	7.7	70	32
27.75x8.75 R 14.5	14.5	6.00	8.6	78	36
30x11.5 R 14.5	14.5	9.75	12.1	110	50
15" Rims					
4.00-15 SL	15	3.00	3.1	29	13
5.00-15 SL	15	3.00	3.6	33	15
5.50-15 SL	15	4.00	5.4	49	22
5.60-15	15		4.7	43	19
5.70-15 NHS	15	4.50	5.0	45	21
5.90-15 SL	15	4.50	5.2	48	22
6.40-15 SL	15	4.50	5.8	53	24
6.70-15 SL	15	4.50	6.6	60	27
7.00-15	15	5.50	6.4	59	27
7.50-15 30" OD	15	6.00	8.9	81	37
7.50-15 32" OD	15	6.00	9.7	88	40
7.5 L-15 SL	15	6.00	9.6	87	40
7.60-15 SL	15	5.50	8.3	76	34
8.25-15	15	6.50	12.1	110	50
8.5/9.0-15 K	15	6.00	12.1	110	50
9.00-15 NHS	15	7.00	16.1	147	67
9.00 R 15	15	7.00	16.4	149	68
9.5 L-15 SL	15	7.00	11.7	106	48
9.50-15 FI	15	7.00	11.7	106	48
10.00-15	15		14.3	131	59
10.00 R 15	15	7.50	14.7	134	61
10.00 L-15 SL	15	8.00	18.5	169	77
11.00-15 NHS	15	8.00	26.0	236	107
11.00 R 15	15	8.00	27.0	246	111
11 L-15 SL	15	8.00	14.1	128	58

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
11.5-15	15	8.00	10.9	99	45
12.5 L-15	15	10.00	17.4	158	72
13.50-15 FI	15	10.00	18.2	166	75
13.50x13.50-15 NHS	15	10.00	20.4	186	84
14.50 L-15	15	10.50	18.1	165	75
14.50 R 15	15		18.4	167	76
25x7.50-15	15	5.50	5.3	48	22
25x12.50-15	15	10.00	8.1	73	33
26x6.50-15	15	4.50	5.5	50	23
27x6.5-15	15		4.9	45	20
27x7.75 R 15	15	6.00	6.1	56	25
27x8.50-15	15	7.00	6.4	59	27
27x8.50 R 15	15		6.4	59	27
27x9.50-15	15	7.00	8.2	75	34
27x9.50-15	15	7.50	7.7	70	32
27x10.00-15	15	8.00	7.6	69	31
27x10.50-15	15	8.00	10.1	92	42
27x12.00-15	15	10.00	8.1	73	33
28x8.50-15	15	7.00	7.5	68	31
28x9.00-15	15	7.00	5.6	51	23
28x11.50-15	15	8.00	8.2	75	34
28x12-15 NHS	15	9.75	13.9	127	58
28x12.50-15	15	10.00	12.4	113	51
28x13.00-15	15	11.50	8.5	77	35
29x7.70-15	15	6.00	6.9	62	28
29x8.00-15	15	7.50	6.4	59	27
29x9.00-15	15	6.00	6.0	55	25
29x9.50-15	15	7.50	9.3	84	38
29x10.00-15	15	7.50	8.9	81	37
29x12.00-15	15	10.00	12.7	116	53
29x12.50-15	15	6.00	13.3	121	55
30x8.00-15	15	7.00	7.7	70	32
30x8.8-15	15	7.00	7.1	65	29
30x8.8 R 15	15	7.00	9.8	89	41
30x9.00-15	15	8.00	11.0	101	46
31x12.50-15 NHS	15	10.00	16.5	150	68
31x13.50-15 NHS	15	10.00	20.4	186	84
31x15.50-15	15	13.00	19.3	176	80
32x8.8 R 15	15		11.4	103	47
32x11.5-15	15	9.00	13.3	121	55
32x12.00-15	15	9.75	12.9	117	53
32x12.50-15	15	10.00	13.7	125	57
32x14.50-15	15		14.5	132	60
32x15.00-15	15	11.50	14.5	132	60
33x12.50-15 LT	15	10.00	18.0	164	74
33.5x10.75-15	15	8.00	14.0	128	58
35x15.00-15	15	10.50	14.5	132	60
36x11.00-15	15	7.50	16.1	147	67
36x13.50-15	15	10.00	21.9	200	91

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
37x14.0-15	15	9.00	22.2	202	92
38x16-15	15		21.4	194	88
39x15.50-15 LT	15	12.00	29.4	268	121
40-15	15	11.50	42.2	384	174
46-15	15	13.00	37.9	345	156
55/60-15	15		17.3	158	72
55/65-15	15	9.75	26.8	244	111
215/70-15	15	7.00	7.3	67	30
225/75 R 15	15		10.9	99	45
250-15	15	7.50	7.3	66	30
300-15	15	9.75	15.3	139	63
315/70 R 15 NHS	15	8.00	18.9	172	78
390/60 D 15	15	13.00	33.6	306	139
16" Rims					
5.50-16	16	4.00	5.2	48	22
5.50-16 SL	16	4.00	4.7	43	19
16-Jun	16	4.50	4.0	37	17
16-Jun	16	5.00	4.8	43	20
6.00-16	16	4.00	6.3	57	26
6.00-16	16	5.00	6.0	54	25
6.00-16 SL	16	4.00	5.6	51	23
6.50-16	16	4.50	7.3	67	30
6.50-16 SL	16	4.50	7.3	66	30
6.90/6.00-16	16	4.00	5.9	54	24
16-Jul	16	5.50	6.1	56	25
7.00-16	16		10.5	95	43
7.2-16	16	5.50	6.0	55	25
7.50-16	16	6.00	10.7	98	44
7.50-16 SL	16	5.50	10.2	92	42
16-Aug	16	5.50	8.9	81	37
8.00-16 SL	16	5.50	11.4	103	47
8.30-16	16	7.00	10.2	93	42
9.00-16 SL	16	6.00	13.4	122	55
9.5-16	16	8.00	12.3	112	51
9.50-16	16	7.00	12.3	112	51
9.50-16	16	8.50	13.5	123	56
10.00-16	16	8.00	18.0	164	74
10.00-16 SL	16	8.00	18.0	164	74
10.50-16	16	8.25	18.0	164	74
11.00-16	16	10.00	24.4	222	101
11 L-16	16	8.00	12.5	114	52
11.00-16 SL	16	8.00	25.1	228	103
12.4-16	16	11.00	23.5	213	97
12.50-16	16	10.00	21.8	198	90
12.5 L-16 SL	16	10.00	17.1	156	71
13.0/85-16	16		22.1	201	91
13.6-16	16	10.00	24.3	222	100
14 L-16	16	11.00	28.1	255	116
15.00-16	16	11.25	32.9	299	136

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
16.00-16	16	6.50	36.6	333	151
16.5 L-16	16	14.00	34.3	312	141
17.00-16	16	13.25	43.0	392	178
18.4-16	16	16.00	49.2	447	203
27.5x7.5-16	16	6.00	6.7	61	28
29x6.25-16	16	5.12	6.9	63	29
30x7.7-16	16	6.00	7.2	65	30
H30x9.5-16	16	6.25	11.0	100	45
32x8.8-16	16	7.00	8.7	79	36
32x8.8 R 16	16	7.00	8.8	80	36
33x9.50-16	16	8.00	12.9	117	53
33x12.50-16	16	8.00	16.1	147	67
34x9.25-16	16	7.00	11.6	106	48
H34x10.0 R 16	16		14.3	131	59
34x10.75-16	16	8.25	15.2	139	63
35x11.5-16	16	9.00	16.6	151	69
36x11-16	16	9.00	13.9	126	57
37x11.5-16	16	9.00	20.2	184	84
37x13.0-16	16	9.00	21.9	200	91
37x13-16	16	10.00	20.2	184	84
39x13-16	16	10.00	21.9	200	91
40x14-16	16	11.00	26.0	236	107
40x15.5-16	16	10.00	29.3	266	121
40.5x15.5-16	16	11.50	31.6	288	130
42x15-16	16	11.50	32.9	299	136
46-16	16		36.6	333	151
50/8.00-16	16	5.50	9.8	89	41
56x16	16	12.75	69.1	629	285
215/85 R 16	16		9.4	85	39
235/85 R 16	16		11.3	103	47
1050x395 R 16	16	11.50	63.4	577	262
16.1" Rims					
13.50-16.1 SL	16.1	11.00	32.0	291	132
13.6-16.1	16.1	13.00	27.4	249	113
14 L-16.1 SL	16.1	11.00	26.4	240	109
14.5/75-16.1	16.1	11.00	27.7	252	114
14.5/75-16.1 SL	16.1	11.00	32.6	296	134
16.5 L-16.1 SL	16.1	14.00	38.2	348	158
18.4-16.1	16.1	16.00	51.6	470	213
19 L-16.1 SL	16.1	16.00	66.9	609	276
21.5 L-16.1 SL	16.1	18.00	63.0	574	260
35x19.00-16.1	16.1	16.00	27.8	253	115
38x20.00-16.1	16.1	18.00	35.1	320	145
44x41-16.1	16.1	38.00	113	1027	466
16.5" Rims					
8.00-16.5	16.5	6.00	6.6	60	27
8.75-16.5	16.5	6.75	10.1	92	42
9.50-16.5	16.5	6.75	12.5	114	52
10-16.5	16.5	8.25	10.5	95	43

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
10.5-16.5	16.5		12.1	110	50
12-16.5	16.5	9.75	16.5	150	68
12.5/7.0-16.5	16.5		17.6	160	73
15.5/38-16.5	16.5		18.5	169	77
18.5/44-16.5	16.5		35.9	326	148
30x9.50-16.5	16.5	7.50	9.7	88	40
30x9.50 R 16.5	16.5	7.50	9.2	84	38
31x10.50-16.5	16.5	8.50	12.1	110	50
31x10.50 R 16.5	16.5	8.50	12.1	110	50
31x11.50-16.5	16.5	8.50	11.0	100	45
31x11.50 R 16.5	16.5	8.50	11.5	105	48
31x13.50-16.5	16.5		16.7	152	69
31.5x13.00-16.5	16.5	9.75	14.7	134	61
33x12.50-16.5	16.5	9.75	15.9	145	66
33x12.50 R 16.5	16.5	9.75	16.5	150	68
33x15.50-16.5	16.5	12.00	19.5	178	81
35x12.00-16.5	16.5	9.75	20.0	182	83
36x12.50-16.5	16.5	9.75	19.8	180	82
36x12.50 R 16.5	16.5	9.75	21.0	191	87
36x14.50-16.5	16.5	11.25	21.7	197	90
36x14.50 R 16.5	16.5	11.25	22.7	206	94
37x12.50-16.5	16.5	8.25	24.6	224	101
37x12.50 R 16.5	16.5	8.25	25.5	232	105
37x14.50-16.5	16.5	11.25	23.1	211	96
37x14.50 R 16.5	16.5	11.25	24.3	221	100
265/70 D 16.5	16.5	8.25	13.5	123	56
305/70 D 16.5	16.5	9.75	18.1	164	75
315/70 D 16.5	16.5	9.75	9.8	89	41
330/55 D 16.5	16.5	9.75	15.7	143	65
395/55 D 16.5	16.5	9.75	23.9	217	98
17" Rims					
6.00-17	17	4.75	7.3	66	30
6.00 R 17	17	4.75	7.4	67	31
7.00-17	17	5.50	9.7	88	40
7.00 R 17	17	5.50	9.1	83	38
7.50-17	17	6.00	11.4	104	47
7.50 R 17	17	6.00	10.9	99	45
8.25-17	17	6.50	14.2	129	59
8.25 R 17	17	6.50	11.5	105	48
35x9.0-17	17	7.25	13.1	119	54
35x10.0-17	17	8.62	17.8	162	74
40x18.0-17	17	9.00	33.3	303	137
49x17	17	13.25	50.9	464	210
480/45-17	17	16.00	38.9	354	161
17.5" Rims					
7-17.5	17.5	5.25	6.3	57	26
7 R 17.5	17.5	5.25	7.0	64	29
8-17.5	17.5	5.25	9.0	82	37
8 R 17.5	17.5	5.25	8.2	75	34

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
8 R 17.5	17.5	6.00	9.1	83	38
9.00 R 17.5	17.5	6.75	13.8	125	57
10-17.5	17.5	8.25	10.7	98	44
10 R 17.5	17.5	7.50	14.7	134	61
11 R 17.5	17.5	8.25	19.2	175	79
14-17.5 NHS	17.5	10.50	21.4	194	88
14-17.5 ML	17.5	10.50	23.5	213	97
14 R 17.5	17.5	10.50	26.0	237	107
36x16-17.5	17.5	10.50	24.6	224	101
36x16-17.5 NHS	17.5	10.50	24.6	224	101
215/75-17.5	17.5	6.00	8.9	81	37
240/55 D 17.5	17.5	6.75	8.5	78	35
275/65-17.5	17.5	8.25	12.3	112	51
355/70 D 17.5	17.5	13.75	26.6	242	110
18" Rims					
3.50-18	18	3.00	2.0	18	8
4.00-18	18	3.00	3.2	29	13
7.00-18	18	5.50	9.2	84	38
7.50-18	18		11.0	101	46
7.50-18 SL	18	5.50	10.2	93	42
18-Aug	18	6.00	11.4	104	47
8.25-18	18	6.50	10.5	95	43
10.50/80-18	18	10.00	25.8	235	106
11.00-18	18	8.00	29.0	264	120
12.50-18	18		25.8	235	106
12.5/65-18	18		17.5	159	72
12.5/80-18 NHS	18	9.00	21.9	200	91
13/65-18	18		20.8	189	86
15.5/55 R 18	18		25.2	229	104
15.5/60-18	18	9.30	30.8	280	127
15.5/70-18	18		35.5	323	146
32x9.75-18	18	7.50	10.2	92	42
H34x9.25-18	18	6.00	11.6	106	48
34.5x9.75-18	18		12.7	116	53
H35x11.0-18	18		15.1	137	62
36x10.0-18	18	8.65	18.6	169	77
36x11.0-18	18	8.50	19.2	175	79
H36x12.0-18	18	7.75	18.1	165	75
38x11-18	18	9.00	21.7	197	90
40x12-18	18	10.00	21.3	194	88
41x15.0-18	18	12.75	28.6	260	118
41x16-18	18	13.25	34.7	315	143
44x16-18	18	13.25	42.0	382	173
44.5x16.5-18	18	13.25	38.2	348	158
47x18-18	18	14.75	49.3	448	203
275/80 R 18	18	9.00	17.9	163	74
280/80-18 IND	18	9.00	20.6	188	85
320/80 R 18 IND	18	10.00	26.8	244	111
335/80 R 18	18	11.00	28.5	259	117

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
340/80 R 18	18		29.5	268	122
340/80-18 IND	18	11.00	32.6	297	135
340/80 R 18 IND	18	11.00	31.4	286	130
365/70 R 18	18		29.1	265	120
385/80-18	18	13.16	34.3	313	142
400/70 R 18 IND	18	13.00	38.5	350	159
405/70 R 18	18		37.2	338	153
18.5" Rims					
13-18.5	18.5	10.75	26.1	238	108
19" Rims					
4.00-19 SL	19	3.00	3.2	29	13
335/80 R 19	19		26.0	236	107
4.00-19 SL	19	3.00	3.2	29	13
38x12.0-19	19	7.75	20.9	190	86
41x15.0-19	19	9.75	35.5	323	146
H40x14.0-19	19	9.00	24.2	220	100
H40x14.5-19	19	9.50	26.7	243	110
41x15.0-19	19	9.75	35.5	323	146
H42x16.0-19	19	9.50	40.2	366	166
19.5" Rims					
8.00-19.5	19.5	6.00	10.4	95	43
8 R 19.5	19.5	6.00	11.6	106	48
15-19.5	19.5	11.75	29.9	272	123
15-19.5 NHS	19.5	11.75	26.2	238	108
15 R 19.5	19.5	11.75	35.4	322	146
16.5-19.5	19.5	13.00	36.9	336	152
16.5 R 19.5	19.5	13.00	36.9	336	152
18-19.5	19.5	14.00	42.5	387	175
18 R 19.5	19.5	14.00	49.9	454	206
19.5-19.5	19.5	15.00	65.0	591	268
19.5 R 19.5	19.5	15.00	52.6	478	217
22-19.5 ML	19.5	16.25	51.5	469	213
40x19-19.5	19.5	15.00	35.6	324	147
245/70 R 19.5	19.5	6.75	11.6	106	48
265/70 R 19.5	19.5	7.50	13.5	123	56
305/70 R 19.5	19.5	9.00	18.6	169	77
380/65-19.5	19.5		28.0	255	115
385/65-19.5	19.5	10.60	38.3	348	158
445/55 D 19.5	19.5	13.00	36.9	336	152
445/65 R 19.5	19.5	13.50	50.8	462	210
20" Rims					
7.00-20	20	5.50	10.2	92	42
7.50-20	20	5.50	11.9	108	49
7.50-20	20	6.00	12.8	117	53
7.50 R 20	20	6.00	15.8	144	65
7.50-20 SL	20	5.50	11.0	100	45
8.25-20	20	6.50	15.8	144	65
8.25 R 20	20	6.50	15.0	136	62
9.00-20	20	7.00	19.3	176	80

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
9.00 R 20	20	7.00	19.8	180	82
9.50-20	20	7.00	18.2	166	75
9.50-20 SL	20	7.00	18.2	166	75
10.00-20 NHS	20	7.50	25.0	227	103
10.00 R 20	20	7.50	21.8	198	90
10.5-20	20	8.00	19.6	178	81
10.00/10.5-20	20	9.00	21.6	197	89
11.00-20	20	8.00	25.4	231	105
11.00 R 20	20	8.00	24.7	224	102
11.00-20 ML	20	10.00	29.6	269	122
11.1-20	20	7.50	26.6	242	110
11.50-20	20	8.00	23.7	216	98
11.50 R 20	20	8.00	24.9	227	103
11.9-20	20	8.00	23.5	214	97
12.00-20	20	8.50	27.0	246	111
12.00 R 20	20	8.50	29.1	265	120
12.50-20	20	11.00	23.4	213	97
12.50 L-20 SL	20	10.00	24.7	225	102
12.5 R 20	20		31.0	282	128
12.5/80 R 20	20	10.00	26.8	244	111
13.00-20	20	9.00	39.7	361	164
13.00 R 20	20	9.00	35.1	320	145
13/80 R 20	20	9.00	28.3	257	117
14.00-20	20	10.00	38.3	348	158
14.00-20 ML	20	10.00	44.0	401	182
14/80 R 20	20	10.00	34.3	312	141
14.50 R 20	20		31.8	290	131
15.50-20	20	13.25	37.1	337	153
16.00-20	20	11.25	62.0	564	256
16.00 R 20	20	11.25	56.7	516	234
17.00-20	20	13.25	71	649	294
17.5/65-20	20		47.3	431	195
18.00-20	20	15.00	36.4	331	150
20.00-20	20	15.50	89	807	366
30x6.6-20	20	5.00	3.0	27	12
38x14.00-20 NHS	20	11.00	24.9	227	103
38x18.00-20	20	14.00	33.5	304	138
39x11.50-20	20		16.1	147	67
41x14.00-20	20		29.5	268	122
41x14-20 NHS	20	11.00	32.2	293	133
42x13-20	20		31.8	289	131
42x25.00-20	20	20.50	50.5	460	209
43x16.0-20	20	13.00	32.9	299	136
43x16.00-20 NHS	20	14.00	41.5	378	171
44x18.00-20	20	14.00	44.9	409	185
44x18 L-20	20	15.00	39.1	356	161
44x18.00-20 NHS	20	14.00	44.9	409	185
44x41.00-20	20	36.00	115	1,050	476
H44.5x16.5-20	20	10.50	46.8	425	193

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
45x14.00-20	20	10.00	40.8	371	168
H45x17.0-20	20	11.00	38.5	351	159
46x16-20	20	13.25	36.6	333	151
46x17.0 R 20	20	13.25	42.6	388	176
H46x18.0-20	20	11.00	43.0	391	177
48x25.00-20	20	20.50	73	662	300
48x25.00-20 NHS	20	20.50	73	662	300
48x31.00-20	20	26.00	97	884	401
49x19-20	20	13.25	53.0	483	219
50x18-20	20	14.25	64.0	582	264
50x20.00-20	20	16.25	52.8	481	218
50x21.00-20	20	13.25	67.2	611	277
50x21.0-20	20	16.25	64.6	588	267
51x21.00-20	20	30.00	69.6	633	287
52x20.5-20	20	16.25	67.1	610	277
56x20.0-20	20	13.25	78	711	322
56x20.00-20	20	15.50	94	851	386
275/80 R 20	20	9.00	17.4	158	72
280/80-20 IND	20	9.00	22.2	202	92
335/80 R 20	20	11.00	30.7	280	127
340/80-20 IND	20	9.00	28.6	260	118
340/80 R 20 IND	20	11.00	33.6	306	139
345/80-20	20	14.00	31.0	282	128
360/70-20	20		30.2	274	124
365/80 R 20	20		35.1	320	145
375/75 R 20	20	11.00	36.4	332	150
395/80 R 20	20	11.00	34.7	315	143
395/85 R 20	20		47.8	435	197
400/70-20	20		39.1	356	161
400/70 R 20	20	14.00	43.1	392	178
400/70-20 IND	20	13.00	42.8	390	177
400/70 R 20 IND	20	13.00	41.0	373	169
400/80-20	20		46.4	422	191
405/70 R 20	20	11.00	39.7	362	164
420/75 R 20 IND	20	13.00	50.2	457	207
425/75 R 20	20	13.00	49.0	446	202
425/95 R 20	20	10.00	54.7	498	226
20.5" Rims					
24-20.5	20.5	18.00	107	976	443
525/65 R 20.5	20.5	16.00	58.9	536	243
21" Rims					
3.00-21	21	4.00	6.0	55	25
12.00-21 NHS	21	8.50	29.2	266	120
12.00R 21 NHS	21	8.50	30.6	279	126
14.00-21	21	10.00	45.8	417	189
14.00R 21	21	10.00	55.7	507	230
14.5-21	21	10.00	42.7	389	176
16.00R 21	21	10.00	60.9	554	251
18-21 ML	21	14.00	42.4	386	175

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
23-21 ML	21		73	660	299
24-21	21	18.00	106	965	438
24-21 DT	21		88	803	364
24R 21 DT	21	18.00	93	843	382
27.25-21 DT	21	19.50	148	1,351	613
37.25R 21 DT	21	19.50	129	1,174	533
22" Rims					
9.5-22	22	8.00	19.4	177	80
10.00-22	22	7.50	21.4	195	89
10.00R 22	22	7.50	22.6	205	93
11.00-22	22	8.00	24.9	227	103
11.00R 22	22	8.00	26.3	239	108
42x21-22	22	18.00	32.4	295	134
49x18.0-22	22	13.75	48.4	441	200
H49x19.0-22	22	12.00	50.8	462	210
22.5" Rims					
8-22.5	22.5	6.00	11.6	106	48
8R 22.5	22.5	6.00	11.0	100	45
9-22.5	22.5	6.75	12.1	110	50
9R 22.5	22.5	6.75	14.0	128	58
10-22.5	22.5	7.50	20.2	183	83
10R 22.5	22.5	7.50	17.6	160	73
11-22.5	22.5	8.25	24.3	222	100
11R 22.5	22.5	8.25	21.4	194	88
12-22.5	22.5	9.00	28.3	257	117
12R 22.5	22.5	9.00	24.7	225	102
12.5-22.5	22.5	9.00	23.8	216	98
12.5R 22.5	22.5	9.00	24.9	227	103
12.75-22.5	22.5	9.00	24.5	223	101
12.75R 22.5	22.5	9.00	25.6	233	106
13-22.5	22.5	9.00	27.6	251	114
15-22.5	22.5	11.75	35.0	318	144
15R 22.5	22.5	11.75	32.0	291	132
16-22.5	22.5	13.00	40.5	368	167
16.5-22.5	22.5	13.00	43.2	393	178
16.5R 22.5	22.5	13.00	39.1	356	161
18-22.5	22.5	14.00	46.8	426	193
18R 22.5	22.5	14.00	44.7	407	185
42/1200-22.5	22.5	9.00	25.5	232	105
235/80R 22.5	22.5	6.75	15.6	142	64
245/75-22.5	22.5	7.50	14.2	129	59
245/75 R 22.5	22.5	7.50	16.2	147	67
255/70-22.5	22.5	7.50	17.6	160	73
255/70 R 22.5	22.5		16.5	150	68
255/80 R 22.5	22.5	7.50	16.8	153	70
265/75 R 22.5	22.5	7.50	18.5	168	76
275/80 R 22.5	22.5	8.25	21.0	191	87
295/60 R 22.5	22.5	9.00	18.0	164	74
295/75 R 22.5	22.5	9.00	24.5	223	101

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
305/75 R 22.5	22.5	9.00	30.3	276	125
305/85 R 22.5	22.5	9.00	30.7	280	127
315/80 R 22.5	22.5	9.00	29.8	271	123
385/65 R 22.5	22.5	11.75	28.2	257	116
425/65 R 22.5	22.5	12.25	41.3	376	170
445/65 R 22.5	22.5	13.00	54.2	493	224
455/65 D 22.5	22.5		40.1	365	166
23" Rims					
19.00-23	23	14.75	59.7	543	246
52x20.5-23	23	13.00	63.8	580	263
54x21.0-23	23	16.25	72	656	297
1400x530 R 23	23	16.25	85	770	349
23.5" Rims					
23-23.5 ML	23.5	17.00	69.2	629	286
B46x16x23.5	23.5	10.50	35.5	323	146
24" Rims					
7.00-24 TG	24	5.50	11.4	103	47
7.50-24 TG	24	6.00	13.5	123	56
7.50-24 SL	24	7.00	14.0	128	58
8.3-24	24	7.00	12.1	110	50
9.00-24 TG	24	7.00	24.6	224	101
9.00-24 SL	24	8.00	29.0	264	120
9.50-24	24	6.00	12.7	115	52
9.50-24	24	8.00	17.3	158	72
10.00-24 TG	24	8.00	23.7	216	98
10.00 R 24 TG	24	8.00	25.8	235	106
11.00-24	24	8.00	25.9	235	107
11.00 R 24	24	8.00	27.9	254	115
11.00-24 SL	24	10.00	29.8	271	123
11.2-24	24	10.00	26.6	242	110
11.25-24 SL	24	10.00	33.4	304	138
11.2-24	24	10.00	26.6	242	110
11.25-24 SL	24	10.00	33.4	304	138
12.00-24	24	8.50	29.8	271	123
12.00 R 24	24	8.50	32.7	298	135
12.4-24	24	11.00	28.7	261	118
13.00-24	24	8.00	46.0	418	190
13.00 R 24 TG	24	8.00	52.2	475	215
13.00 R 24 NHS	24	8.00	52.8	481	218
13.6-24	24	12.00	37.5	341	155
14.00-24	24	10.00	50.0	455	206
14.00 R 24	24	10.00	50.0	455	206
14.9-24	24	13.00	46.0	418	190
14.9 R 24	24	13.00	53.7	489	222
15.5/80-24	24		52.4	477	216
16.00-24	24	10.00	72	659	299
16.00 R 24	24	10.00	76	692	314
16.9-24	24	15.00	60.1	547	248
16.9 R 24	24	15.00	59.2	538	244

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
17.5 L-24	24	15.00	54.3	494	224
17.5 L R 24	24	15.00	68.2	621	282
18.00-24	24	10.00	93	850	385
18.00 R 24	24	10.00	89	805	365
18.4-24	24	16.00	74	673	305
19.5-24	24	17.00	70	637	289
19.5 L R 24	24	17.00	88	801	363
20 R 24	24	16.00	115	1,046	475
21 L-24	24	18.00	85	772	350
22-24	24	16.00	93	845	383
48x20.00-24 NHS	24	15.00	61.9	563	256
320/70 R 24	24	10.00	24.1	219	99
320/75 R 24	24	10.00	24.1	219	99
360/70 R 24	24	11.00	31.4	286	130
380/70 R 24	24	12.00	35.6	324	147
380/85 R 24	24	13.00	52.6	479	217
385/95 R 24	24	10.00	53.4	486	221
400/70-24 IND	24	13.00	46.3	421	191
400/70 R 24	24	13.00	46.3	421	191
400/80-24	24		48.0	436	198
400/80-24 IND	24	13.00	43.0	391	177
420/70 R 24	24	13.00	44.2	402	182
440/70 R 24	24	15.00	54.4	495	225
440/70 R 24	24	14.00	57.6	524	238
440/80 R 24	24	14.00	68.2	621	282
460/70 R 24	24	14.00	63.0	574	260
500/70 R 24	24	16.00	73	668	303
500/70 R 24	24	16.00	79	715	324
540/70 R 24	24	18.00	95	866	393
555/70 R 24	24	16.00	94	857	389
560/65 D 24	24	13.00	87	790	358
H54x21.0-24	24	13.00	68.4	623	283
24.5" Rims					
11-24.5	24.5	8.25	24.1	219	99
11 R 24.5	24.5	8.25	22.7	207	94
12-24.5	24.5	9.00	28.1	255	116
12 R 24.5	24.5	9.00	26.3	239	108
13.5-24.5	24.5	10.50	32.1	292	132
13.5 R 24.5	24.5	10.50	33.6	306	139
245/75-24.5	24.5	7.75	16.7	152	69
245/75 R 24.5	24.5	7.75	17.4	158	72
275/80 R 24.5	24.5	8.25	22.3	203	92
285/75-24.5	24.5	8.25	21.8	198	90
285/75 R 24.5	24.5	8.25	19.9	181	82
25" Rims					
11.00-25 ML	25	8.50	41	369	167
12.00-25 NHS	25	8.50	31	281	127
12.00 R 25 NHS	25	8.50	34	313	142
13.00-25 NHS	25	10.00	41	373	169

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
13.00 R 25 NHS	25	10.00	43	390	177
14.00-25 ML	25	10.00	58	527	239
14.00 R 25 NHS	25	10.00	52	472	214
15.5-25	25	12.00	44	401	182
15.5 R 25	25	12.00	49	442	201
16.00-25	25	11.25	77	697	316
16.00 R 25	25	11.25	75	679	308
17.5-25	25	14.00	64	587	266
17.5 R 25	25	14.00	64	581	264
18.00-25	25	13.00	85	770	349
18.00 R 25	25	13.00	104	949	430
20/65-25	25	16.00	62	560	254
20.5-25	25	17.00	87	789	358
20.5 R 25	25	17.00	91	824	374
21.00-25	25	15.00	129	1,177	534
21.00R 25	25	15.00	144	1,307	593
22.00-25	25		101	917	416
22/65R 25	25	14.00	78	709	322
23.5-25	25	19.50	112	1,023	464
23.5R 25	25	19.50	109	990	449
24.00-25	25	17.00	173	1,570	712
24.00R 25	25	17.00	192	1,743	791
25/65-25	25	20.00	104	949	430
25/65R 25	25	20.00	109	994	451
26.5-25	25	22.00	152	1,386	629
26.5R 25	25	22.00	170	1,546	701
29.5-25	25	25.00	206	1,871	849
29.5R 25	25	25.00	210	1,909	866
30/65-25	25	24.00	161	1,469	667
30/65R 25	25	24.00	169	1,542	699
35/65-25	25	28.00	236	2,144	972
61x18.00-25	25	13.00	110	998	453
65x25-25	25	19.50	134	1,221	554
66x43.00-25 NHS	25	36.00	267	2,428	1,101
66x44.00-25 NHS	25	36.00	261	2,379	1,079
67x34.00-25 NHS	25	30.00	211	1,923	872
385/95R 25	25	10.00	53	478	217
395/80R 25	25	12.00	47	425	193
445/80R 25	25	14.00	62	560	254
445/95R 25	25	11.25	74	671	304
505/95R 25	25	13.00	101	915	415
525/80R 25	25	17.00	90	815	370
550/65R 25	25	17.00	85	777	352
555/70R 25	25	17.00	96	878	398
575/95R 25	25	15.00	138	1,257	570
600/65R 25	25		105	954	433
605/80R 25	25	19.50	126	1,144	519
625/70R 25	25	19.50	116	1,053	478
650/65R 25	25	19.50	127	1,156	524

* Assumes tire is 75% full and accounts for tire thickness

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
705/70R 25	25	22.00	172	1,563	709
750/65R 25	25	25.00	180	1,634	741
755/70R 25	25	25.00	203	1,848	838
850/65R 25	25	25.00	244	2,220	1,007
1000/50R 25	25	30.00	259	2,353	1,067
26" Rims					
12.4-26	26	11.00	29	268	121
13.6-26	26	12.00	37	334	151
14.9-26	26	12.00	49	443	201
14.9R 26	26	13.00	48	436	198
16.00-26	26	15.50	83	753	341
16.9-26	26	15.00	63	574	261
16.9R 26	26	15.00	62	568	258
18.00-26 TG	26	16.00	101	916	415
18.4-26	26	16.00	78	706	320
18.4R 26	26	16.00	78	707	321
23.1-26	26	20.00	126	1,143	518
28 L-26	26	25.00	150	1,368	621
28 LR 26	26	25.00	166	1,510	685
54x31.00-26 NHS	26	26.00	114	1,037	471
66x43.00-26 NHS	26	36.00	246	2,237	1,015
67x34.00-26 NHS	26	30.00	205	1,869	848
480/70R 26	26	15.00	63	573	260
480/80-26 IND	26	15.00	92	839	381
480/80R 26 IND	26	15.00	92	839	381
620/75R 26	26	20.00	137	1,248	566
28" Rims					
11.2-28	28	10.00	27	242	110
11.25-28 SL	28	10.00	37	337	153
12.4-28	28	11.00	34	307	139
13.6-28	28	12.00	42	378	171
13.6R 28	28	12.00	47	432	196
14.9-28	28	13.00	51	466	211
14.9R 28	28	13.00	51	467	212
16.9-28	28	15.00	66	602	273
16.9R 28	28	15.00	76	695	315
18.4-28	28	16.00	81	739	335
18.4R 28	28	16.00	86	786	356
20.8R 28	28	16.00	116	1,051	477
21 L-28	28	18.00	111	1,009	458
380/70R 28	28	12.00	40	362	164
380/85R 28	28	12.00	59	534	242
420/70R 28	28	13.00	49	447	203
420/85R 28	28		60	544	247
440/80R 28	28		66	596	271
440/80R 28	28	14.00	76	693	314
480/70R 28	28	15.00	66	603	274
500/70R 28 IND	28	16.00	86	785	356
600/65R 28	28		74	670	304

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
29" Rims					
24.00-29	29	17.00	186	1,697	770
24.00R 29	29	17.00	207	1,886	856
26.5-29	29	22.00	165	1,504	682
26.5R 29	29	22.00	185	1,680	762
29.5-29	29	25.00	213	1,937	878
29.5R 29	29	25.00	239	2,173	986
33.25-29	29	27.00	275	2,501	1,134
33.25R 29	29	27.00	306	2,785	1,263
20/65-29	29	16.00	68	619	281
25/65-29	29	20.00	114	1,040	472
30/65-29	29	24.00	165	1,502	681
30/65R 29	29	24.00	185	1,681	762
35/65-29	29	28.00	255	2,323	1,054
775/65R 29	29	27.00	193	1,760	798
800/65R 29	29	27.00	209	1,900	862
875/65R 29	29	27.00	259	2,356	1,068
30" Rims					
6.00-30	30	5.00	7	66	30
7.2-30	30	6.00	9	84	38
12.4-30	30	12.00	47	432	196
14.9R 30	30	13.00	54	489	222
16.9-30	30	15.00	69	630	286
16.9R 30	30	15.00	70	641	291
18.4-30	30	16.00	85	772	350
23.1-30	30	20.00	136	1,241	563
67/34.00-30	30	30.00	159	1,447	656
67x34.00-30 NHS	30	30.00	194	1,768	802
67/37.00-30	30	28.00	194	1,768	802
380/85R 30	30	12.00	53	483	219
420/70-30	30		52	475	216
420/70R 30	30	13.00	54	489	222
420/90R 30	30	13.00	83	756	343
480/70R 30	30	15.00	70	633	287
520/70R 30	30	16.00	83	753	341
540/65R 30	30	18.00	99	901	409
600/70R 30	30	18.00	136	1,234	560
32" Rims					
9.5-32	32	8.00	19	176	80
12.4-32	32	11.00	44	403	183
24.5-32	32	21.00	161	1461	663
30.5 L-32	32	27.00	204	1859	843
30.5 L R 32	32	27.00	209	1,902	863
33 L-32	32	27.00	227	2,069	938
33.5 L-32	32	31.00	323	2,942	1,334
DH35.5 L-32	32	44.00	204	1,859	843
38 L-32	32	31.00	318	2,891	1,311
40.5 L-32	32	35.00	375	3,409	1,546
68x50.00-32 NHS	32	44.00	382	3,474	1,576

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
650/75 R 32	32	20.00	169	1,541	699
800/65 R 32	32	25.00	222	2,017	915
900/60 R 32	32	27.00	299	2,722	1,235
1050/50 R	32	33.00	323	2,936	1,332
VA73x44.00-32	32	36.00	401	3,653	1,657
33" Rims					
18.00-33	33	13.00	111	1,006	457
18.00 R 33	33	13.00	123	1,121	508
21.00-33	33	15.00	160	1,460	662
27.00-33	33	22.00	280	2,551	1,157
27.00 R 33	33	22.00	312	2,836	1,286
30.00-33	33	22.00	350	3,188	1,446
33.5-33	33	28.00	313	2,849	1,292
33.5 R 33	33	28.00	349	3,174	1,440
37.5-33	33	32.00	405	3,690	1,674
37.5 R 33	33	32.00	451	4,107	1,863
21/90 R 33	33	13.00	154	1,398	634
30/65-33	33	24.00	190	1,733	786
35/65-33	33	28.00	258	2,351	1,066
35/65 R 33	33	28.00	288	2,625	1,191
34" Rims					
11.2-34	34	10.00	66	602	273
14.9 R 34	34	13.00	68	619	281
16.9-34	34	15.00	75	686	311
16.9 R 34	34	15.00	87	794	360
18.4-34	34	16.00	92	833	378
18.4 R 34	34	16.00	107	973	441
20.8-34	34	18.00	118	1,077	488
20.8 R 34	34	18.00	137	1,249	567
23.1 R 34	34	20.00	147	1,341	608
250/95 R 34	34	8.00	27	244	110
290/95 R 34	34	9.00	38	347	157
320/85 R 34	34	10.00	45	414	188
380/85 R 34	34	12.00	62	563	255
400/80 R 34	34	16.00	66	603	274
420/85 R 34	34	13.00	69	626	284
480/70 R 34	34	15.00	89	811	368
480/75 R 34	34	15.00	70	637	289
480/80 R 34	34		86	784	356
480/85 R 34	34	15.00	105	954	433
520/70 R 34	34	16.00	72	654	296
520/70 R 34	34	16.00	106	965	438
540/65 R 34	34	18.00	99	905	411
650/75 R 34	34	20.00	142	1,290	585
650/75 R 34	34	20.00	182	1,657	752
710/75 R 34	34	23.00	227	2,070	939
35" Rims					
21.00-35	35	15.00	157	1,427	647
21.00 R 35	35	15.00	175	1,588	720

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
24.00-35	35	17.00	207	1,888	856
24.00 R 35	35	17.00	231	2,099	952
29.5-35	35	25.00	238	2,167	983
29.5 R 35	35	25.00	266	2,419	1,097
33.25-35	35	27.00	304	2,770	1,257
33.25 R 35	35	27.00	339	3,088	1,401
37.25-35	35	31.00	396	3,601	1,634
37.25 R 35	35	31.00	441	4,011	1,819
36" Rims					
9.5-36	36	8.00	22	198	90
11.2-36	36	10.00	32	293	133
12.00-36	36	11.00	51	462	210
12.4-36	36	11.00	41	370	168
13.9-36	36	12.00	46	420	190
14.9-36	36	12.00	59	539	245
31.5-36	36	26.50	245	2,225	1,009
38" Rims					
11.2-38	38	10.00	34	305	138
12.4-38	38	11.00	42	385	175
13.6-38	38	12.00	52	472	214
14.9-38	38	13.00	63	577	262
15.5-38	38	14.00	59	541	245
15.5 R 38	38	14.00	60	550	250
16.9-38	38	15.00	82	742	336
16.9 R 38	38	15.00	95	862	391
18.4-38	38	16.00	99	905	411
18.4 R 38	38	16.00	116	1,051	477
20.8-38	38	18.00	132	1,201	545
20.8 R 38	38	18.00	148	1,345	610
33 L-38	38	27.00	252	2,295	1,041
35.5 L-38	38	31.00	299	2,719	1,233
38 L-38	38	31.00	352	3,201	1,452
40.5 L-38	38	35.00	414	3,764	1,707
290/90 R 38	38	9.00	43	387	176
320/85 R 38	38	10.00	41	370	168
380/80 R 38	38	12.00	64	584	265
460/85 R 38	38		110	998	453
480/70 R 38	38	15.00	85	772	350
480/80 R 38	38	15.00	114	1,040	472
520/70 R 38	38	16.00	98	891	404
520/85 R 38	38	16.00	148	1,345	610
580/70 R 38	38	18.00	125	1,141	517
710/70 R 38	38	23.00	217	1,978	897
800/70 R 38	38	25.00	315	2,865	1,300
39" Rims					
30.00-39	39	22.00	499	4,541	2,060
33.5-39	39	28.00	344	3,131	1,420
33.5 R 39	39	28.00	384	3,490	1,583
37.5-39	39	32.00	444	4,038	1,832

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
37.5 R 39	39	32.00	494	4,499	2,041
38.00-39	39	32.00	336	3,059	1,388
40/65-39	39	32.00	392	3,567	1,618
40/65 R 39	39	32.00	439	3,992	1,811
40.5/75 R 39	39	32.00	655	5,957	2,702
41.25/70-39	39	32.00	448	4,079	1,850
45/65-39	39	36.00	555	5,051	2,291
45/65 R 39	39	36.00	555	5,051	2,291
42" Rims					
9.5-42	42	8.00	32	290	131
12.4-42	42	11.00	47	429	195
18.4-42	42	16.00	107	971	441
18.4 R 42	42	16.00	124	1,129	512
20.8-42	42	18.00	136	1,242	563
20.8 R 42	42	18.00	158	1,442	654
290/90 R 42	42	20.00	46	420	190
320/80 R 42	42		38	343	156
320/90 R 42	42	10.00	57	522	237
480/80 R 42	42	15.00	123	1,122	509
520/85 R 42	42	16.00	158	1,433	650
580/70 R 42	42	18.00	158	1,441	654
620/70 R 42	42	20.00	177	1,607	729
650/65 R 42	42	20.00	179	1,628	738
710/70 R 42	42	23.00	241	2,196	996
900/50 R 42	42	34.90	269	2,445	1,109
43" Rims					
24.00-43	43	17.00	235.4	2,142	972
45" Rims					
40/65-45	45	32.00	393	3,579	1,623
45/65-45	45	32.00	528	4,807	2,180
45/65 R 45	45	36.00	568	5,173	2,347
50/65-45	45	40.00	783	7,122	3,230
55/65-45	45	44.00	986	8,970	4,069
1150/65 R 45	45		711	6,469	2,934
46" Rims					
13.6-46	46	12.00	59	537	244
13.6 R 46	46	12.00	62	561	255
14.9 R 46	46	12.00	72	659	299
18.4 R 46	46	16.00	123	1,117	507
320/90 R 46	46	10.00	63	569	258
340/85 R 46	46	11.00	66	601	273
380/90 R 46	46	12.00	90	822	373
420/80 R 46	46	13.00	94	858	389
480/80 R 46	46	15.00	125	1,139	517
520/70 R 46	46	16.00	162	1,473	668
620/70 R 46	46	20.00	189	1,717	779
48" Rims					
230/95 R 48	48		25.0	227	103
230/95 R 48	48	7.00	31.6	288	130

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
250/95 R 48	48	8.00	29.7	271	123
49" Rims					
18.00-49	49	13.00	144	1,315	596
18.00 R 49	49	13.00	161	1,466	665
21.00-49	49	15.00	195	1,778	806
21.00 R 49	49	15.00	218	1,981	898
24.00-49	49	17.00	256	2,333	1,058
24.00 R 49	49	17.00	285	2,597	1,178
27.00-49	49	19.50	363	3,300	1,497
27.00 R 49	49	19.50	381	3,467	1,573
31/80 R 49	49	22.00	469	4,268	1,936
31/90 R 49	49	19.50	497	4,520	2,050
50" Rims					
250/95R 50	50	8.00	39	357	162
320/90R 50	50	10.00	63	571	259
380/90R 50	50	12.00	92	834	378
480/80R 50	50	15.00	133	1,213	550
51" Rims					
24.00-51	51	17.00	279	2,543	1,153
27.00-51	51	19.50	479	4,358	1,977
30.00-51	51	22.00	450	4,092	1,856
30.00 R 51	51	22.00	501	4,560	2,068
33.00-51	51	24.00	556	5,055	2,293
33.00 R 51	51	24.00	619	5,631	2,554
36.00-51	51	26.00	701	6,377	2,893
36.00 R 51	51	26.00	693	6,304	2,859
36.00-51 DT	51	26.00	727	6,616	3,001
36.00 R 51 DT	51	26.00	780	7,097	3,219
37.5-51	51	32.00	583	5,301	2,405
37.5 R 51	51	32.00	584	5,317	2,412
50/65-51	51	40.00	789	7,181	3,257
50/65 R 51	51	40.00	885	8,050	3,651
55/65-51	51	44.00	1,059	9,637	4,371
60/65-51	51	48.00	1,306	11,888	5,392
65/65-51	51	52.00	1,587	14,445	6,552
67-51	51	45.00	1,919	17,460	7,920
53" Rims					
39/90 R 53	53	26.00	768	6,986	3,169
54" Rims					
12.4R 54	54	11.00	65.2	593	269
230/115R 54	54	8.00	55.9	508	231
320/90R 54	54	10.00	67.0	610	277
380/90R 54	54	12.00	97.4	886	402
56.5" Rims					
27-56.5	56.5	20.00	228.0	2,075	941
30-56.5	56.5	22.00	310.5	2,826	1282
57" Rims					
37.00R 57	57	27.00	891	8,109	3,678
40.00-57	57	29.00	964	8,776	3,981

Counterweight Blue Tire Fill Chart

www.CounterweightBlue.com

Tire Size	Rim Diameter (in)	Rim Width (in)	Volume (gallons)	Weight (lbs)	Weight (kg)
40.00R 57	57	29.00	1,073	9,765	4,429
42/90R 57	57	27.00	1,125	10,239	4,644
46/90R 57	57	29.00	1,377	12,532	5,685
49.5-57	57	36.00	1,487	13,536	6,140
50/80R 57	57	34.00	1,450	13,196	5,986
55/80R 57	57	55.00	1,223	11,129	5,048
58" Rims					
320/90R 58	58	10.00	71	642	291
59" Rims					
33-59.5	59.5	23.50	400	3,637	1,650
36-59.5	59.5	27.00	512	4,663	2,115
39-59.5	59.5	27.00	640	5,823	2,641